

Refine Search

Search Results -

Terms	Documents
L3 and L1	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 26, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L4</u>	L3 and L1	0	<u>L4</u>
<u>L3</u>	L2 and (input near component)	66	<u>L3</u>
<u>L2</u>	search\$3 same condition same combinat\$4	3129	<u>L2</u>
<u>L1</u>	"full text search"	708	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L2 and (multi near dimension\$)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 26, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L4</u>	L2 and (multi near dimension\$)	0	<u>L4</u>
<u>L3</u>	L2 and dimension\$	5	<u>L3</u>
<u>L2</u>	L1 and (full near text near search)	16	<u>L2</u>
<u>L1</u>	(search\$3 same condition same combinat\$4) and component\$1	1699	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L7 and ("mlti-dimensional")	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7 and ("mlti-dimensional")

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 26, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L8</u>	L7 and ("mlti-dimensional")	0	<u>L8</u>
<u>L7</u>	L6 and (full near text near search)	13	<u>L7</u>
<u>L6</u>	L5 and L1	124	<u>L6</u>
<u>L5</u>	707/\$.ccls.	24670	<u>L5</u>
<u>L4</u>	L2 and (multi near dimension\$)	0	<u>L4</u>
<u>L3</u>	L2 and dimension\$	5	<u>L3</u>
<u>L2</u>	L1 and (full near text near search)	16	<u>L2</u>
<u>L1</u>	(search\$3 same condition same combinat\$4) and component\$1	1699	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and ("mlti-dimensional")	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 26, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L10</u>	L9 and ("mlti-dimensional")	0	<u>L10</u>
<u>L9</u>	"full text search"	708	<u>L9</u>
<u>L8</u>	L7 and ("mlti-dimensional")	0	<u>L8</u>
<u>L7</u>	L6 and (full near text near search)	13	<u>L7</u>
<u>L6</u>	L5 and L1	124	<u>L6</u>
<u>L5</u>	707/\$.ccls.	24670	<u>L5</u>
<u>L4</u>	L2 and (multi near dimension\$)	0	<u>L4</u>
<u>L3</u>	L2 and dimension\$	5	<u>L3</u>
<u>L2</u>	L1 and (full near text near search)	16	<u>L2</u>
<u>L1</u>	(search\$3 same condition same combinat\$4) and component\$1	1699	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L15 and ("mlti-dimensional")	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L16

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 26, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L16</u>	L15 and ("mlti-dimensional")	0	<u>L16</u>
<u>L15</u>	L13 and (single near search\$3)	6	<u>L15</u>
<u>L14</u>	L13 and (single same search\$3)	7	<u>L14</u>
<u>L13</u>	L11 and (combinat\$4 same search\$3)	9	<u>L13</u>
<u>L12</u>	L11 and (combin\$6 same search\$3)	10	<u>L12</u>
<u>L11</u>	L9 and (instruct\$4 same text same information)	29	<u>L11</u>
<u>L10</u>	L9 and ("mlti-dimensional")	0	<u>L10</u>
<u>L9</u>	"full text search"	708	<u>L9</u>
<u>L8</u>	L7 and ("mlti-dimensional")	0	<u>L8</u>
<u>L7</u>	L6 and (full near text near search)	13	<u>L7</u>
<u>L6</u>	L5 and L1	124	<u>L6</u>
<u>L5</u>	707/\$.ccls.	24670	<u>L5</u>
<u>L4</u>	L2 and (multi near dimension\$)	0	<u>L4</u>
<u>L3</u>	L2 and dimension\$	5	<u>L3</u>

<u>L2</u>	L1 and (full near text near search)	16	<u>L2</u>
<u>L1</u>	(search\$3 same condition same combinat\$4) and component\$1	1699	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and (multi near dimensional)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Thursday, January 27, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L9</u>	L8 and (multi near dimensional)	0	<u>L9</u>
<u>L8</u>	L7 and (input near component)	3	<u>L8</u>
<u>L7</u>	L6 and L2	130	<u>L7</u>
<u>L6</u>	707/\$.ccls.	24765	<u>L6</u>
<u>L5</u>	(L3 or L4) and (input near component)	0	<u>L5</u>
<u>L4</u>	L2 and (multi near dimensional)	12	<u>L4</u>
<u>L3</u>	L2 and ("multi-dimensional")	12	<u>L3</u>
<u>L2</u>	L1 and (search near (query or queries))	189	<u>L2</u>
<u>L1</u>	full near text near search	751	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L3 and (("multi-dimensional") or (multi near dimensional))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text 

Clear

Interrupt

Search History

DATE: Thursday, January 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L4</u>	L3 and (("multi-dimensional") or (multi near dimensional))	0	<u>L4</u>
<u>L3</u>	L2 and (logic\$2 near operator)	15	<u>L3</u>
<u>L2</u>	L1 and (search near (query or queries))	173	<u>L2</u>
<u>L1</u>	"full text search"	710	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L3 or L4) and (input near component)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 27, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L5</u>	(L3 or L4) and (input near component)	0	<u>L5</u>
<u>L4</u>	L2 and (multi near dimensional)	12	<u>L4</u>
<u>L3</u>	L2 and ("multi-dimensional")	12	<u>L3</u>
<u>L2</u>	L1 and (search near (query or queries))	189	<u>L2</u>
<u>L1</u>	full near text near search	751	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L13 and L1	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 27, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L14</u>	L13 and L1	0	<u>L14</u>
<u>L13</u>	L10 and L6	5	<u>L13</u>
<u>L12</u>	L11 and (multi near dimensional)	0	<u>L12</u>
<u>L11</u>	L10 and (search near (query or queries))	3	<u>L11</u>
<u>L10</u>	(search\$3 same condition same combinat\$4) and (input near component)	66	<u>L10</u>
<u>L9</u>	L8 and (multi near dimensional)	0	<u>L9</u>
<u>L8</u>	L7 and (input near component)	3	<u>L8</u>
<u>L7</u>	L6 and L2	130	<u>L7</u>
<u>L6</u>	707/\$.ccls.	24765	<u>L6</u>
<u>L5</u>	(L3 or L4) and (input near component)	0	<u>L5</u>
<u>L4</u>	L2 and (multi near dimensional)	12	<u>L4</u>
<u>L3</u>	L2 and ("multi-dimensional")	12	<u>L3</u>

L2 L1 and (search near (query or queries))
L1 full near text near search

189 L2
751 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L8 or L7) and (search near ("multi-dimensional"))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, February 04, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L9</u>	(L8 or L7) and (search near ("multi-dimensional"))	0	<u>L9</u>
<u>L8</u>	L3 and L5	1	<u>L8</u>
<u>L7</u>	L3 and L4	4	<u>L7</u>
<u>L6</u>	715/780.ccls.	64	<u>L6</u>
<u>L5</u>	715/531.ccls.	866	<u>L5</u>
<u>L4</u>	715/\$.ccls.	20430	<u>L4</u>
<u>L3</u>	L1 and L2	30	<u>L3</u>
<u>L2</u>	"full text search"	715	<u>L2</u>
<u>L1</u>	search\$3 same condition same combinat\$4	3142	<u>L1</u>

END OF SEARCH HISTORY



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"search condition combinations" + "input components" + "instr



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [search condition combinations](#) [input components](#) [instructing search information](#) [single search multi dimensional full text search](#)

Found 3 of 148,786

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Search engineering 2: Texquery: a full-text search extension to xquery](#)



S. Amer-Yahia, C. Botev, J. Shanmugasundaram

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Full text available: pdf(117.50 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the key benefits of XML is its ability to represent a mix of structured and unstructured (text) data. Although current XML query languages such as XPath and XQuery can express rich queries over structured data, they can only express very rudimentary queries over text data. We thus propose TeXQuery, which is a powerful full-text search extension to XQuery. TeXQuery provides a rich set of fully composable full-text search primitives, such as Boolean connectives, phrase matching, proximity di ...

Keywords: full-text search, xquery

2 [Object and query transformation: supporting multi-dimensional queries through code reuse](#)



Byunggu Yu, Ratko Orlandic

November 2000 **Proceedings of the ninth international conference on Information and knowledge management**

Full text available: pdf(223.49 KB)

Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: database systems, object transformation, point access methods, spatial access methods

3 [Natural language in document retrieval systems: Full text document retrieval: Hebrew legal texts \(report on the first phase of the responsa retrieval project\)](#)



Y. Choueka, M. Cohen, J. Dueck, A. S. Fraenkel, M. Slae

April 1971 **Proceedings of the 1971 international ACM SIGIR conference on Information storage and retrieval**

Full text available: pdf(1.25 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A full text retrieval system was designed for the responsa literature, which is a large corpus

of Hebrew legal cases. The unique problems of the data base --- mixture of Hebrew, Aramaic and vernaculars, lack of vowels and punctuation, extreme language inflection problems, homographs, existence of thousands of grammatical variants of any given keyword --- dictated development of new methods. Among them we list "grammatical synthesis", which synthesizes all grammatical variants of a given keyword; ...

Keywords: Hebrew computational linguistics, case law retrieval, feedback, full text retrieval, grammatical synthesis, legal cases, metrical operators, responsa

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"search condition combinations" + "input components" + "instr



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [search condition combinations](#) [input components](#) [instructing search information](#) [single search](#) [multi dimensional full text search](#) [comparison search results](#)

Found 1 of 148,786

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Search engineering 2: Texquery: a full-text search extension to xquery

S. Amer-Yahia, C. Botev, J. Shanmugasundaram

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Full text available: [pdf \(117.50 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the key benefits of XML is its ability to represent a mix of structured and unstructured (text) data. Although current XML query languages such as XPath and XQuery can express rich queries over structured data, they can only express very rudimentary queries over text data. We thus propose TeXQuery, which is a powerful full-text search extension to XQuery. TeXQuery provides a rich set of fully composable full-text search primitives, such as Boolean connectives, phrase matching, proximity di ...

Keywords: full-text search, xquery

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **1** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

full text search <and> multi dimensional

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Information retrieval and database architecture for conventional Japanese character dictionaries***Schmitt, L.M.; Herder, J.; Bhalla, S.;*

Cognitive Technology, 1997. 'Humanizing the Information Age'. Proceedings., Second International Conference on , 25-28 Aug. 1997

Pages:200 - 217

[\[Abstract\]](#)[\[PDF Full-Text \(1568 KB\)\]](#)**IEEE CNF**

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

full text search <and> combinat*

[Search](#)☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

IEEE Xplore
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

» Sea

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **2** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

full text search <and> combin*

Search

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Retrieval of document images using layout knowledge***Herrmann, P.; Schlageter, G.;*

Document Analysis and Recognition, 1993., Proceedings of the Second International Conference on , 20-22 Oct. 1993

Pages:537 - 540

[Abstract] [PDF Full-Text (324 KB)] IEEE CNF

2 Data storage and query processing for structured document databas*Kaneko, K.; Makinouchi, A.;*

Database and Expert Systems Applications, 1997. Proceedings., Eighth International Workshop on , 1-2 Sept. 1997

Pages:92 - 97

[Abstract] [PDF Full-Text (448 KB)] IEEE CNF

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1121826** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**